

## Cleaning or Etching Items with Unique Geometries Requires Specialized Expertise

Visit <http://jstmfg.com> for further information

"Cleaning," in this case, refers to the use of agents such as solvents, acids or bases to remove unwanted particulates and other contaminants from products ranging from optics to semiconductor and electronic devices.

04/09/19, 07:29 AM | Processing & Handling, Design & Development

Cleaning, an integral part of many manufacturing and maintenance processes, is often critical to the performance of a broad range of technologies in the semiconductor, defense, MEMS, photonics and biotech industries.

### More Headlines

US manufacturers urged to unlock the value in production data

Critical Link Receives Two Innovators Awards at Automate Show 2019

PEPPERL+FUCHS FACTORY AUTOMATION: Fill Level Management in the Internet of Things

Cementex Announces New Manufacturer's Representative SouthCon

A UNIQUE OFFER AT A UNIQUE EVENT

"Cleaning," in this case, refers to the use of agents such as solvents, acids or bases to remove unwanted particulates and other contaminants from products ranging from optics to semiconductor and electronic devices.

It also refers to the etching process utilized in semiconductor fabrication, where the "cleaning" is the precision removal of thin layers of material.

Today, many of these processes are relatively standardized. Semiconductor wafers, for example, are produced in several sizes and processed the same way, no matter the type.

However, for products with non-standard geometries, shapes, sizes and even weight, cleaning takes on a new dimension: figuring out how to optimally get each item in and out of the equipment at each stage of processing.

Within this category are a potpourri of items such as optical lenses for the world's largest telescopes and high-energy lasers, the crystals used in nuclear sensors or guidance systems, glass substrates, MEMS devices, probe sensors, medical implants, chemically machined subcomponents, etc.

With these types of items, creative solutions must be employed to load items in and out of what is typically a multi-stage process. This can include utilizing automated gantry robots, machined fixtures and loading carts.

Careful consideration must also be given to the orientation and, potentially, the rotation of the item after it enters the process baths.

"We are not just concerned with the cleaning equipment, but also how to get the products in and out of that tool," says Louise Bertagnolli, president of JST Manufacturing (Boise, ID), a specialist in wet processing and precision cleaning equipment.

"The handling of non-standard items of various geometries, sizes and weights is a factor

### Sponsors

SIGN UP FOR NEWSLETTER

INDUSTRY WHITE PAPERS

EVENTS CALENDAR

INDUSTRY NEWS

### Most Popular Articles

ManufacturingTomorrow - Special Tradeshow Coverage  
Automate & ProMat 2019

03/11/19 | Automation & Networking

IoT & Industry 4.0

03/27/19 | Automation & Networking

Automation in Forging Industry Speeds Production and Increases Safety

04/03/19 | Processing & Handling

Distributed Manufacturing in the Auto Industry

03/25/19 | Design & Development

Big Picture Benefits of a CMMS

04/01/19 | Design & Development

Articles & Stories | News

### Events and Conferences

IoT Tech Expo Global

Apr 25 | 26 2019, Olympia Grand, London

AERODEF Manufacturing

Apr 30 | 01 2019, Long Beach, CA

DESIGN & MANUFACTURING NEW ENGLAND

May 15 | 16 2019, Boston, MA

RAPID + TCT

May 20 | 23 2019, Detroit, MI

Space Tech Expo USA

May 20 | 22 2019, Pasadena, CA

More Events

### Site Services

Feature Your Company

Publish Your News

Promote Your Products / Services

that most customers don't think about," adds Bertagnolli. "Instead, they focus almost solely on the cleaning process - the temperatures and chemical concentrations. Yet, product handling can impact the amount of chemicals required, processing time and even quality of cleaning."

#### Lifting, Transporting with Gantry Robots

Companies that choose to automate a cleaning process usually do so to ensure the repeatability of cleaning results. This means precisely controlling the measurement and dispensing of the cleaning agents and rinsing solutions. It also means providing the systems and tools necessary to transport the items from one bath to another.

For this, robots are often used to lift and transport items to multiple stations or modules.

At companies like JST, this necessitates working closely with automation partners such as Bosch Rexroth (Charlotte, NC) to develop cleaning stations using linear motion and electric drive and control technology.

In a recent project the two firms worked together to create an automated system for cleaning silicon chunks to the extreme purity of 11N to meet requirements for the manufacture of semiconductor chips. The project entailed building a cleaning line 138 ft. in length and incorporating multiple gantry robots.

The throughput volume requirement for the chunks was four tons for every 22-hour shift. To accomplish this, JST had to develop a unique basket system to transport the material throughout the process.

To provide for such a long cleaning system, JST engineered and built it in two units. In the 24-ft-long unit, baskets of chunks are manually loaded through an auto-door. Then two-axis robots cycle the baskets through five acid etch baths and two rinse baths arranged in a single row down the length of the second unit.

In some cases, gantry robots are the only solution, particularly for heavy items that may be too much for workers to handle safely. Bertagnolli has seen products that must be lifted that exceed 50, even 100 lbs.

In a project for Lawrence Livermore National Laboratories' National Ignition Facility (NIF), JST was charged with figuring out a solution for handling thousands of heavy optical lenses.

NIF operates one of the world's highest-energy laser systems, which consists of 192 laser beams that can focus nearly two million joules of energy. Each of the 192 beams is supported by up to 50 lenses.

"If these lenses were not as clean as possible then we would start to degrade the performance of our laser," explains Patrick Williams, NIF optics maintenance manager.

"The optics are heavy and rather large, so we don't want to handle them a lot," adds Williams. "JST suggested that there might be an easier and more cost-effective way to transport, clean and inspect the optics. They came back with an original design, and then we tweaked it into a system that has worked for over 16 years."

One of the innovations in the NIF cleaning tool, which was a tank-like configuration, was to eliminate the need to move the optics to different locations to perform the washing, rinsing and drying functions. In lieu of moving the optics, all cleaning, rinsing and drying is done in one tank. The chemistries move, not the product.

#### Machined Fixtures

Bertagnolli says another important element to consider is the fixturing - the devices that hold or position the products being processed.

[List Your Event](#)

[Advertise Your Brand](#)

[Contribute Articles and Stories](#)

[Subscribe to RSS Feeds & Newsletters](#)

[Search - Articles, Companies, News](#)

Follow us



[Full List of Site Services](#)

Off Topic

#### Alternative Energy

[Fuel-Efficiency Vehicles: Where Are We Now?](#)

[US wind power grew 8 percent in 2018 amid record demand](#)

[Battery Streak Batteries Achieves 80% State-of-Charge in 10 Minutes](#)

#### Robotics & Automation

[Future Generation of Tech Innovators Gather for Robotics Education & Competition \(REC\) Foundation's VEX Robotics World Championship](#)

[Pioneering the Next Era of Space Operations and Exploration Through On-Orbit Servicing, Assembly and Manufacturing](#)

[OUTLOOK on World Robotics Report 2019 by IFR](#)

[AltEnergyMag](#)  
[RoboticsTomorrow](#)

Single or multiple item fixtures are typically designed and machined to fit the specific application. Because precision cleaning equipment is largely a task involving metal fabrication and machining, suppliers like JST can also provide custom designed fixtures.

Well-designed fixtures can even accommodate quick-change inserts that allow it to be re-used for other parts.

#### Orienting the part

Attention should also be given to optimizing the orientation of the part if it has blind holes or other geometric features facing up that can hold chemistry when lifted out. The same holes, if horizontal, can create unwanted bubbles or air pockets.

For these reasons, it might be necessary to design a solution that orients the part in certain direction and then rotates it later in the process.

Even if no blind holes are involved, etching the entire surface of a part may require rotating the part while minimizes contact with the surface.

Such was the case in a project JST was involved in that involved the cleaning of silicon "seed rods" that grow the polysilicon ingots from which the chucks are made.

The seed rod cleaning equipment utilized a gantry robot to move the ingot-carrying cylindrical carriages through a sequence of etch baths. JST designed a custom fixture that rotates the rods to ensure they etch evenly.

"The rotational fixture enables the rods to be cleaned to a very high purity," Bertagnolli notes. "We incorporate rotational fixtures quite often for cleaning."

#### Attention Early in Design Phase

According to Bertagnolli, sufficient consideration of these factors must be given early in the design phase. Racks and fixtures need to be designed to safely handle parts and the fixtures themselves must be designed to withstand the chemicals involved. "With a full engineering staff and 3D modeling, JST can complete a structural analysis and look at the deflection and really have a good idea before anything is ever built," says Bertagnolli.

In some cases, her company is called in to consult on handling solutions for other provider's equipment or when manual loading/unloading proves problematic.

"There are a lot of different ways to handle the issue," says Bertagnolli. "It just takes some engineering, manufacturing capability and experience in the industry. Given that so much is invested in the cleaning process tool, it makes sense to ensure repeatability with an appropriate product handling system."

For information contact: JST Manufacturing Inc., 219 E. 50th S., Boise, ID 83714; Phone: 800-872-0391, 208-377-1120; Fax: 208-377-3645; E-mail: [info@jstmfg.com](mailto:info@jstmfg.com); or visit the web site [jstmfg.com](http://jstmfg.com)

04/09/19, 07:29 AM | [Processing & Handling](#), [Design & Development](#)

[Subscribe to Newsletter](#)

[More Design & Development News](#) | [Stories](#) | [Articles](#)



#### Featured Product



#### ICOMold - Instant Online Quotes for Plastic Injection Molding

ICOMold provides plastic injection molding, CNC machining of plastic and metal, and urethane casting to customers worldwide in a variety of industries. We offer low-cost, high-quality custom plastic parts manufactured to your design, with a very fast turnaround. Any quantities from single prototypes to large, on-demand production

runs. We are ISO 9001:2015 certified, and our production molds carry a lifetime warranty. Get an online quote in less than 30 seconds with our interactive quotation system.

[More Products](#)

[Feature Your Product](#)



## More Advanced Manufacturing and Factory Automation Resources

[Contact Info](#)

[Bloggers and Associate Authors](#)

[Privacy Policy](#)

[Advertise](#)

[Subscribe](#) | [Search](#) | [Promote Products](#) | [Feature Your Company](#) | [Publish News](#) | [List Event](#)

[Articles](#) | [News](#) | [Stories](#) | [Products](#) | [Companies](#) | [Events](#)

## More Technical Publications from BTH

